Contents of Volume 96

(All rights reserved)

Calder PC The *British Journal of Nutrition*, an international journal that continues to develop (Editorial). 1

Tylavsky FA Seasonal variation in calcitropic hormones and bone accrual in puberty (Invited Commentary). 4

Langdon JH Has an aquatic diet been necessary for hominin brain evolution and functional development? (Review Article). 7

Maillard V, Hoinard C, Arab K, Jourdan M-L, Bougnoux P & Chajès V Dietary β-carotene inhibits mammary carcinogenesis in rats depending on dietary α-linolenic acid content (Short Communication). 18

Miglietta A, Bozzo F, Gabriel L, Bocca C & Canuto RA Extracellular signal-regulated kinase 1/2 and protein phosphatase 2A are involved in the antiproliferative activity of conjugated linoleic acid in MCF-7 cells. 22

Bermingham EN, McNabb WC, Sutherland IA, Sinclair BR, Treloar BP & Roy NC Whole-body valine and cysteine kinetics and tissue fractional protein synthesis rates in lambs fed Sulla (*Hedysarum coronarium*) and infected or not infected with adult *Trichostrongylus colubriformis*. 28

Lafay S, Morand C, Manach C, Besson C & Scalbert A Absorption and metabolism of caffeic acid and chlorogenic acid in the small intestine of rats. 39

Lambo-Fodje AM, Öste R & Nyman MEG-L Short-chain fatty acid formation in the hindgut of rats fed native and fermented oat fibre concentrates. 47

Burelle Y, Lamoureux M-C, Péronnet F, Massicotte D & Lavoie C Comparison of exogenous glucose, fructose and galactose oxidation during exercise using ^{13}C-labelling. 56

El-Mohsen MA, Bayele H, Kuhnle G, Gibson G, Debnam E, Srai SK, Rice-Evans C & Spencer JPE Distribution of [^{3}H]*trans*-resveratrol in rat tissues following oral administration. 62

Kuriyan R, Easwaran PP & Kurpad AV Physical activity ratio of selected activities in Indian male and female subjects and its relationship with body mass index. 71

Bering S, Suchdev S, Sjøltov L, Berggren A, Tetens I & Bukhave K A lactic acid-fermented oat gruel increases non-haem iron absorption from a phytate-rich meal in healthy women of childbearing age. 80

Lerario MC, Sachs A, Lazaretti-Castro M, Saraiva LG & Jardim JR Body composition in patients with chronic obstructive pulmonary disease: which method to use in clinical practice? 86

Bakewell L, Burdge GC & Calder PC Polyunsaturated fatty acid concentrations in young men and women consuming their habitual diets. 93

Ouguerram K, Maugeais C, Gardette J, Magot T & Krempf M Effect of *n*-3 fatty acids on metabolism of apoB100-containing lipoprotein in type 2 diabetic subjects. 100

Mullen W, Edwards CA & Crozier A Absorption, excretion and metabolite profiling of methyl-, glucuronyl-, glucosyl- and sulpho-conjugates of quercetin in human plasma and urine after ingestion of onions. 107

Barclay AW, Brand-Miller JC & Mitchell P Macronutrient intake, glycaemic index and glycaemic load of older Australian subjects with and without diabetes: baseline data from the Blue Mountains Eye Study. 117

Viljakainen HT, Palssa A, Kärkkäinen M, Jakobsen J, Cashman KD, Mølgaard C & Lamberg-Allardt C A seasonal variation of calcitropic hormones, bone turnover and bone mineral density in early and mid-puberty girls – a cross-sectional study. 124

Hannan JMA, Ali L, Khaleque J, Akhter M, Flatt PR & Abdel-Wahab YHA Aqueous extracts of husks of *Plantago ovata* reduce hyperglycaemia in type 1 and type 2 diabetes by inhibition of intestinal glucose absorption. 131

Cummings NK, James AP & Soares MJ The acute effects of different sources of dietary calcium on postprandial energy metabolism. 138

Sengottuvelan M & Nalini N Dietary supplementation of resveratrol suppresses colonic tumour incidence in 1,2-dimethylhydrazine-treated rats by modulating biotransforming enzymes and aberrant crypt foci development. 145

Benzie IFF, Chung WY, Wang J, Richelle M & Bucheli P Enhanced bioavailability of zeaxanthin in a milk-based formulation of wolfberry (Gou Qi Zi; *Fructus barbarum L*). 154

Amaya-Guerra C, Serna Saldívar SO & Alanis-Guzman MG Soyabean fortification and enrichment of regular and quality protein maize tortillas affects brain development and maze performance of rats. 161

Lau TY & Leung LK Soya isoflavones suppress phorbol 12-myristate 13-acetate-induced COX-2 expression in MCF-7 cells. 169

Mater DDG, Drouault-Holowacz S, Oozeer R, Langella P, Anba J & Corthier G β-Galactosidase production by *Streptococcus thermophilus* is higher in the small intestine than in the caecum of human-microbiota-associated mice after lactose supplementation. 177

Klingler M, Blaschitz A, Campoy C, Caño A, Molloy AM, Scott JM, Dohr G, Demmelmair H, Koletzko B & Desoye G The effect of docosahexaenoic acid and folic acid supplementation on placental apoptosis and proliferation. 182

Mennen LI, Sapinho D, Ito H, Bertrais S, Galan P, Hercberg S & Scalbert A Urinary flavonoids and phenolic acids as biomarkers of intake for polyphenol-rich foods. 191

B Strandvik Mediterranean diet and cystic fibrosis (Invited Commentary). 199

Gil-Campos M, Aguilera CM, Cañete R & Gil A Ghrelin: a hormone regulating food intake and energy homeostasis (Review Article). 201

Richelle M, Sabatier M, Steiling H & Williamson G Skin bioavailability of dietary vitamin E, carotenoids, polyphenols, vitamin C, zinc and selenium (Review Article). 227

Ahuja KDK & Ball MJ Effects of daily ingestion of chilli on serum lipoprotein oxidation in adult men and women (Short Communication). 239

Marshall KG, Howell S, Reid M, Badaloo A, Farrall M, Forrester T & McKenzie CA Glutathione S-transferase polymorphisms may be associated with risk of oedematous severe childhood malnutrition. 243

Gudbrandsen OA, Wergedahl H, Mørk S, Liaset B, Espe M & Berge RK Dietary soya protein concentrate enriched with isoflavones reduced fatty liver, increased hepatic fatty acid oxidation and decreased the hepatic mRNA level of VLDL receptor in obese Zucker rats. 249

Dosti MP, Mills JP, Simon PW & Tanumihardjo SA Bioavailability of β-carotene (βC) from purple carrots is the same as typical orange carrots while high-βC carrots increase βC stores in Mongolian gerbils (*Meriones unguiculatus*). 258

Collin P, Chapados N, Dufresne E, Corriveau P, Imbeault P & Lavoie J-M Time course of changes in *in vitro* lipolysis of intra-abdominal fat depots in relation to high-fat diet-induced hepatic steatosis in rats. 268

Bajka BH, Topping DL, Cobiac L & Clarke JM Butyrylated starch is less susceptible to enzymic hydrolysis and increases large-bowel butyrate more than high-amylose maize starch in the rat. 276

Dabadie H, Motta C, Peuchant E, LeRuyet P & Mendy F Variations in daily intakes of myristic and α-linolenic acids in sn-2 position modify lipid profile and red blood cell membrane fluidity. 283

Soulat T, Philippe C, Bal dit Sollier C, Brézillon C, Berge N, Teissedre P-L, Callebert J, Rabot S & Drouet L Wine constituents inhibit thrombosis but not atherogenesis in C57BL/6 apolipoprotein E-deficient mice. 290

Richard N, Kaushik S, Larroquet L, Panserat S & Corraze G Replacing dietary fish oil by vegetable oils has little effect on lipogenesis, lipid transport and tissue lipid uptake in rainbow trout (*Oncorhynchus mykiss*). 299

Paula ACB, Toma W, Gracioso JS, Hiruma-Lima CA, Carneiro EM & Brito ARMS The gastroprotective effect of the essential oil of *Croton cajucara* is different in normal rats than in malnourished rats. 310

Rodríguez CA & González J *In situ* study of the relevance of bacterial adherence to feed particles for the contamination and accuracy of rumen degradability estimates for feeds of vegetable origin. 316

Lima CF, Azevedo MF, Araujo R, Fernandes-Ferreira M & Pereira-Wilson C Metformin-like effect of *Salvia officinalis* (common sage): is it useful in diabetes prevention? 326

Birkenfeld C, Kluge H & Eder K L-carnitine supplementation of sows during pregnancy improves the suckling behaviour of their offspring. 334

Olveira G, Dorado A, Olveira C, Padilla A, Rojo-Martínez G, García-Escobar E, Gaspar I, Gonzalo M & Soriguer F Serum phospholipid fatty acid profile and dietary intake in an adult Mediterranean population with cystic fibrosis. 343

Whelan K, Efthymiou L, Judd PA, Preedy VR & Taylor MA Appetite during consumption of enteral formula as a sole source of nutrition: the effect of supplementing pea-fibre and fructo-oligosaccharides. 350
Ruel G, Pomerleau S, Couture P, Lemieux S, Lamarche B & Couillard C Favourable impact of low-calorie cranberry juice consumption on plasma HDL-cholesterol concentrations in men. 357
Schneider SM, Joly F, Gehrardt M-F, Badran AM, Myara A, Thuillier F, Coudray-Lucas C, Cynober L, Trivin F & Messing B Taurine status and response to intravenous taurine supplementation in adults with short-bowel syndrome undergoing long-term parenteral nutrition: a pilot study. 365
Schlatterer J, Breithaupt DE, Wolters M & Hahn A Plasma responses in human subjects after ingestions of multiple doses of natural α-cryptoxanthin: a pilot study. 371
Skeaff CM & Gowans S Home use of margarine is an important determinant of plasma *trans* fatty acid status: a biomarker study. 377
Lagiou P, Trichopoulos D, Sandin S, Lagiou A, Mucci L, Wolk A, Weiderpass E & Adami H-O Mediterranean dietary pattern and mortality among young women: a cohort study in Sweden. 384
Chen Z, Shu XO, Yang G, Li H, Li Q, Gao Y-T & Zheng W Nutrient intake among Chinese women living in Shanghai, China. 393
Liao J-W, Hsu C-K, Wang M-F, Hsu W-M & Chan Y-C Beneficial effect of *Toona sinensis* Roemor on improving cognitive performance and brain degeneration in senescence-accelerated mice. 400
Forsum E, Löf M, Olausson H & Olhager E Maternal body composition in relation to infant birth weight and subcutaneous adipose tissue. 408
Burdge GC Homocysteine: a role in fetal programming? (Invited Commentary) 415
Zhang Z, Xu Y, Li L, Han J, Zheng L, Liu P & Li Y Prevention of retinoic acid-induced early craniofacial abnormalities by folinic acid and expression of endothelin-1/dHAND in the branchial arches in mouse. 418
Raschke M, Wähälä K & Pool-Zobel BL Reduced isoflavone metabolites formed by the human gut microflora suppress growth but do not affect DNA integrity of human prostate cancer cells. 426
Chen S-T, Yang H-Y, Huang H-Y, Peng S-J & Chen J-R Effects of various soya protein hydrolysates on lipid profile, blood pressure and renal function in five-sixths nephrectomized rats. 435
Tamura A, Nishimukai M, Shigematsu N & Hara H Supplementation of difructose anhydride III enhanced elevation of plasma equol concentrations and lowered plasma total cholesterol in isoflavone-fed rats. 442
Ahmed I & Khan MA Dietary branched-chain amino acid valine, isoleucine and leucine requirements of fingerling Indian major carp, *Cirrhinus mrigala* (Hamilton). 450
Faulconnier Y, Roy A, Ferlay A, Chardigny J-M, Durand D, Lorenz S, Gruffat D & Chilliard Y Effect of dietary supply of butters rich either in *trans*-10-18 : 1 or in *trans*-11-18 : 1 plus *cis*-9, *trans*-11-18 : 2 on rabbit adipose tissue and liver lipogenic activities. 461
Morifuji M, Sanbongi C & Sugiura K Dietary soya protein intake and exercise training have an additive effect on skeletal muscle fatty acid oxidation enzyme activities and mRNA levels in rats. 469
Bahado-Singh PS, Wheatley AO, Ahmad MH, Morrison EY St. A & Asemota HN Food processing methods influence the glycaemic indices of some commonly eaten West Indian carbohydrate-rich foods. 476
Hubbard GP, Wolffram S, de Vos R, Bovy A, Gibbins JM & Lovegrove JA Ingestion of onion soup high in quercetin inhibits platelet aggregation and essential components of the collagen-stimulated platelet activation pathway in man: a pilot study. 482
Burdge GC, Powell J & Calder PC Lack of effect of meal fatty acid composition on postprandial lipid, glucose and insulin responses in men and women aged 50 years consuming their habitual diets. 489
Platat C, Perrin A-E, Oujaa M, Wagner A, Haan M-C, Schlienger J-L & Simon C Diet and physical activity profiles in French preadolescents. 501
Moore SE, Mansoor MA, Bates CJ & Prentice AM Plasma homocysteine, folate and vitamin B_{12} compared between rural Gambian and UK adults. 508

Boekholdt SM, Meuwese MC, Day NE, Luben R, Welch A, Wareham NJ & Khaw K-T Plasma concentrations of ascorbic acid and C-reactive protein, and risk of future coronary artery disease, in apparently healthy men and women: the EPIC-Norfolk prospective population study. 516

Bates CJ, Prentice A, Birch MC, Delves HT & Sinclair KA Blood indices of selenium and mercury, and their correlations with fish intake, in young people living in Britain. 523

Damião R, Castro TG, Cardoso MA, Gimeno SGA & Ferreira SRG Dietary intakes associated with metabolic syndrome in a cohort of Japanese ancestry. 532

Tormo MA, Gil-Exojo I, de Tejada AR & Campillo JE White bean amylase inhibitor administered orally reduces glycaemia in type 2 diabetic rats. 539

Kemi VE, Kärkkäinen MUM & Lamberg-Allardt CJE High phosphorus intakes acutely and negatively affect Ca and bone metabolism in a dose-dependent manner in healthy young females. 545

Chronopoulou R, Xylouri E, Fegeros K & Politis I The effect of two bovine β-casein peptides on various functional properties of porcine macrophages and neutrophils: differential roles of protein kinase A and exchange protein directly activated by cyclic AMP-1. 553

Almaas H, Holm H, Langsrud T, Flengsrud R & Vegarud GE *In vitro* studies of the digestion of caprine whey proteins by human gastric and duodenal juice and the effects on selected microorganisms. 562

Morrison DJ, Mackay WG, Edwards CA, Preston T, Dodson B & Weaver LT Butyrate production from oligofructose fermentation by the human faecal flora: what is the contribution of extracellular acetate and lactate? 570

Langley-Evans SC, Lilley C & McMullen S Maternal protein restriction and fetal growth: lack of evidence of a role for homocysteine in fetal programming.. 578

Moorhead SA, Welch RW, Barbara M, Livingstone E, McCourt M, Burns AA & Dunne A The effects of the fibre content and physical structure of carrots on satiety and subsequent intakes when eaten as part of a mixed meal. 587

Mazlan N, Horgan G, Whybrow S & Stubbs J Effects of increasing increments of fat- and sugar-rich snacks in the diet on energy and macronutrient intake in lean and overweight men. 596

Sausenthaler S, Kohlhammer Y, Schäffer L , Heinrich J, Koletzko S & Koletzko B Genetically determined lower bitter-taste sensitivity in Africans? (Letter to the Editor). 607

Reszka E, Wasowicz W & Gromadzinska J Genetic polymorphism of xenobiotic metabolising enzymes, diet and cancer susceptibility (Review Article). 609

Kamphuis CBM, Giskes K, de Bruijn G-J, Wendel-Vos W, Brug J & van Lenthe FJ Environmental determinants of fruit and vegetable consumption among adults: a systematic review (Systematic Review). 620

McCourt JA, Nixon PF & Duggleby RG Thiamin nutrition and catalysis-induced instability of thiamin diphosphate (Short Communication). 636

Reay JL, Kennedy DO & Scholey AB The glycaemic effects of single doses of *Panax ginseng* in young healthy volunteers (Short Communication). 639

Chichili GR, Nohr D, Frank J, Flaccus A, Fraser PD, Enfissi EMA & Biesalski HK Protective effects of tomato extract with elevated β-carotene levels on oxidative stress in ARPE-19 cells. 643

Tse MCL, Cheng CHK & Chan KM Effects of chronic cysteamine treatment on growth enhancement and insulin-like growth factor I and II mRNA levels in common carp tissues. 650

Al-Amin ZM, Thomson M, Al-Qattan KK, Peltonen-Shalaby R & Ali M Anti-diabetic and hypolipidaemic properties of ginger (*Zingiber officinale*) in streptozotocin-induced diabetic rats. 660

del Rosario Ayala M, Racotta R, Hernández-Montes H & Quevedo L Some metabolic effects on lactating rats of a low-energy diet restricted in good-quality protein. 667

Shukla A, Bettzieche A, Hirche F, Brandsch C, Stangl GI & Eder K Dietary fish protein alters blood lipid concentrations and hepatic genes involved in cholesterol homeostasis in the rat model. 674

Vásquez-Garibay E, Stein K, Kratzsch J, Romero-Velarde E & Jahreis G Effect of nucleotide intake and nutritional recovery on insulin-like growth factor I and other hormonal biomarkers in severely malnourished children. 683

Elinson N, Amichay D & Birk RZ Leptin directly regulates exocrine pancreas lipase and two related proteins in the rat. 691

Devillard E, McIntosh FM, Newbold CJ & Wallace RJ Rumen ciliate protozoa contain high concentrations of conjugated linoleic acids and vaccenic acid, yet do not hydrogenate linoleic acid or desaturate stearic acid. 697
Bergqvist SW, Andlid T & Sandberg A-S Lactic acid fermentation stimulated iron absorption by Caco-2 cells is associated with increased soluble iron content in carrot juice. 705
Ortega RM, López-Sobaler AM, Andrés P, Rodríguez-Rodríguez E, Aparicio A, Bermejo LM & López-Plaza B Changes in folate status in overweight/obese women following two different weight control programmes based on an increased consumption of vegetables or fortified breakfast cereals. 712
Papandreou D, Mavromichalis I, Makedou A, Rousso I & Arvanitidou M Reference range of total serum homocysteine level and dietary indexes in healthy Greek schoolchildren aged 6–15 years. 719
Kongsbak K, Wahed MA, Friis H & Thilsted SH Acute-phase protein levels, diarrhoea, *Trichuris trichiura* and maternal education are predictors of serum retinol: a cross-sectional study of children in a Dhaka slum, Bangladesh. 725
Mishra GD, McNaughton SA, Bramwell GD & Wadsworth MEJ Longitudinal changes in dietary patterns during adult life. 735
Chen Y-m, Ho SC & Woo JLF Greater fruit and vegetable intake is associated with increased bone mass among postmenopausal Chinese women. 745
Maylor EA, Simpson EEA, Secker DL, Meunier N, Andriollo-Sanchez M, Polito A, Stewart-Knox B, McConville C, O'Connor JM & Coudray C Effects of zinc supplementation on cognitive function in healthy middle-aged and older adults: the ZENITH study. 752
Brunstrom JM & Mitchell GL Effects of distraction on the development of satiety. 761
Singh M, Ashwell M, Sanderson P, Cade J, Moreton J, Fairweather-Tait S, Roe M, Marx *JJM, Worwood M & Cook JD Risk of iron overload in carriers of genetic mutations associated with hereditary haemochromatosis: UK Food Standards Agency workshop.* 770
Calder PC, Krauss-Etschmann S, de Jong EC, Dupont C, Frick J-S, Frokiaer H, Heinrich J, Garn H, Koletzko S, Lack G, Mattelio G, Renz H, Sangild PT, Schrezenmeir J, Stulnig TM, Thymann T, Wold AE & Koletzko B Early nutrition and immunity – progress and perspectives. 774
Tonello A & Poli G Serum phytosterols not only from dietary intake. 791
Tewfik I Book Reviews 793
Weickert MO, Spranger J, Holst JJ, Otto B, Koebnick C, Möhlig M & Pfeiffer AFH Wheat-fibre-induced changes of postprandial peptide YY and ghrelin responses are not associated with acute alterations of satiety (Short Communication). 795
Wolever TMS, Ip B & Moghaddam E Measuring glycaemic responses: duplicate fasting samples or duplicate measures of one fasting sample? (Short Communication). 799
Kiefer J, Beyer-Sehlmeyer G & Pool-Zobel BL Mixtures of SCFA, composed according to physiologically available concentrations in the gut lumen, modulate histone acetylation in human HT29 colon cancer cells. 803
Arab K, Rossary A, Soulère L & Steghens J-P Conjugated linoleic acid, unlike other unsaturated fatty acids, strongly induces glutathione synthesis without any lipoperoxidation. 811
Koch M, Strobel E, Tebbe CC, Heritage J, Breves G & Huber K Transgenic maize in the presence of ampicillin modifies the metabolic profile and microbial population structure of bovine rumen fluid *in vitro*. 820
Caballero MJ, Torstensen BE, Robaina L, Montero D & Izquierdo M Vegetable oils affect the composition of lipoproteins in sea bream (*Sparus aurata*). 830
Rault-Nania M-H, Gueux E, Demougeot C, Demigné C, Rock E & Mazur A Inulin attenuates atherosclerosis in apolipoprotein E-deficient mice. 840
Sempértegui F, Estrella B, Elmieh N, Jordan M, Ahmed T, Rodríguez A, Tucker KL, Hamer DH, Reeves PG & Meydani SN Nutritional, immunological and health status of the elderly population living in poor neighbourhoods of Quito, Ecuador. 845
Hsu C-S, Chiu W-C, Yeh C-L, Hou Y-C, Chou S-Y & Yeh S-L Dietary fish oil enhances adhesion molecule and interleukin-6 expression in mice with polymicrobial sepsis. 854
Yáñez-Ruiz DR, Scollan ND, Merry RJ & Newbold CJ Contribution of rumen protozoa to duodenal flow of nitrogen, conjugated linoleic acid and vaccenic acid in steers fed silages differing in their water-soluble carbohydrate content. 861
Stratton RJ & Elia M Deprivation linked to malnutrition risk and mortality in hospital. 870

Burton P & Lightowler HJ Influence of bread volume on glycaemic response and satiety. 877
Chaikomin R, Russo A, Rayner CK, Feinle-Bisset C, O'Donovan DG, Horowitz M & Jones KL Effects of lipase inhibition on gastric emptying and alcohol absorption in healthy subjects. 883
Bryant M, Truesdale KP & Dye L Modest changes in dietary intake across the menstrual cycle: implications for food intake research. 888
Cosquéric G, Sebag A, Ducolombier C, Thomas C, Piette F & Weill-Engerer S Sarcopenia is predictive of nosocomial infection in care of the elderly. 895
Onyesom I & Okoh PN Quantitative analysis of nitrate and nitrite contents in vegetables commonly consumed in Delta State, Nigeria. 902
Shi Z, Hu X, Yuan B, Pan X, Dai Y & Holmboe-Ottesen G Association between dietary patterns and anaemia in adults from Jiangsu Province in Eastern China. 906
Arkkola T, Uusitalo U, Pietikäinen M, Metsälä J, Kronberg-Kippilä C, Erkkola M, Veijola R, Knip M, Virtanen SM & Ovaskainen M-L Dietary intake and use of dietary supplements in relation to demographic variables among pregnant Finnish women. 913
Nakamura Y, Iso H, Kita Y, Ueshima H, Okada K, Konishi M, Inoue M & Tsugane S Egg consumption, serum total cholesterol concentrations and coronary heart disease incidence: Japan Public Health Center-based prospective study. 921
Mouratidou T, Ford F, Prountzou F & Fraser R Dietary assessment of a population of pregnant women in Sheffield, UK. 929
Verlinden A, Hesta M, Hermans JM & Janssens GPJ The effects of inulin supplementation of diets with or without hydrolysed protein sources on digestibility, faecal characteristics, haematology and immunoglobulins in dogs. 936
Ryan M, Sallé A, Guilloteau G, Genaitay M, Livingstone MBE & Ritz P Resting energy expenditure is not increased in mildly hyperglycaemic obese diabetic patients. 945
Xiao S-M, Lei S-F, Chen X-D, Liu M-Y, Jian W-X, Xu H, Tan L-J, Deng F-Y, Yang Y-J, Wang Y-B, Sun X, Jiang C, Guo Y-F, Guo J-J, Li Y-N, Jiang H, Zhu X-Z & Deng H-W Correlation and prediction of trunk fat mass with four anthropometric indices in Chinese males. 949
Martínez JJG, Ruiz FA & Candil SD Baseline serum folate level may be a predictive factor of weight loss in a morbid-obesity-management programme. 956
Goyenechea E, Parra MD & Martínez JA Weight regain after slimming induced by an energy-restricted diet depends on interleukin-6 and peroxisome-proliferator-activated-receptor-γ2 gene polymorphisms. 965
Lazzer S, Agosti F, De Col A & Sartorio A Development and cross-validation of prediction equations for estimating resting energy expenditure in severely obese Caucasian children and adolescents. 973
Elsom R, Sanderson P, Hesketh JE, Jackson MJ, Fairweather-Tait SJ, Åkesson B, Handy J & Arthur JR Functional markers of selenium status: UK Food Standards Agency workshop report (Workshop Report). 980
Singh M, Sanderson P, Hurrell RF, Fairweather-Tait SJ, Geissler C, Prentice A & Beard JL Iron bioavailability: UK Food Standards Agency workshop report (Workshop Report). 985
Boucher BJ Dietary risk factors for the emergence of type 1 diabetes-related autoantibodies in $2\frac{1}{2}$-year-old Swedish children – Comments by Boucher (Nutrition Discussion Forum). 991
Wahlberg J Dietary risk factors for the emergence of type 1 diabetes-related autoantibodies in $2\frac{1}{2}$-year-old Swedish children – Reply by Wahlberg (Nutrition Discussion Forum). 992
Tonstad S, Klemsdal TO, Landaas S & Høieggen A No effect of increased water intake on blood viscosity and cardiovascular risk factors (Short Communication). 993
Alexander TW, Reuter T, Okine E, Sharma R & McAllister TA Conventional and real-time polymerase chain reaction assessment of the fate of transgenic DNA in sheep fed Roundup Ready® rapeseed meal. 997
Arantes VC, Reis MAB, Latorraca MQ, Ferreira F, Stoppiglia LF, Carneiro EM & Boschero AC Palmitic acid increase levels of pancreatic duodenal homeobox-1 and p38/stress-activated protein kinase in islets from rats maintained on a low protein diet. 1006
Herbeth B, Guilland J-C, Rochette L, Siest G & Visvikis-Siest S Genetic and environmental contributions to serum ascorbic acid concentrations: the Stanislas Family Study. 1013
Boban PT, Nambisan B & Sudhakaran PR Hypolipidaemic effect of chemically different mucilages in rats: a comparative study. 1021

López-Soldado I, Munilla MA & Herrera E Long-term consequences of under-nutrition during suckling on glucose tolerance and lipoprotein profile in female and male rats. 1030
Gomez NN, Biaggio VS, Rozzen EJ, Alvarez SM & Gimenez MS Zn-limited diet modifies the expression of the rate-regulatory enzymes involved in phosphatidylcholine and cholesterol synthesis. 1038
Lesser S, Cermak R & Wolffram S The fatty acid pattern of dietary fat influences the oral bioavailability of the flavonol quercetin in pigs. 1047
Ara I, Perez-Gomez J, Vicente-Rodriguez G, Chavarren J, Dorado C & Calbet JAL Serum free testosterone, leptin and soluble leptin receptor changes in a 6-week strength-training programme. 1053
Wallace JM, Milne JS, Redmer DA & Aitken RP Effect of diet composition on pregnancy outcome in overnourished rapidly growing adolescent sheep. 1060
Nascimento AP & Costa AMA Overweight induced by high-fat diet delays rat cutaneous wound healing. 1069
Geboes KP, De Hertogh G, De Preter V, Luypaerts A, Bammens B, Evenepoel P, Ghoos Y, Geboes K, Rutgeerts P & Verbeke K The influence of inulin on the absorption of nitrogen and the production of metabolites of protein fermentation in the colon. 1078
Farooq N, Priyamvada S, Arivarasu NA, Salim S, Khan F & Yusufi ANK Influence of Ramadan-type fasting on enzymes of carbohydrate metabolism and brush border membrane in small intestine and liver of rat used as a model. 1087
Piirainen T, Isolauri E, Lagström H & Laitinen K Impact of dietary counselling on nutrient intake during pregnancy: a prospective cohort study. 1095
Thane CW, Bolton-Smith C & Coward WA Comparative dietary intake and sources of phylloquinone (vitamin K_1) among British adults in 1986–7 and 2000–1. 1105
Thane CW, Wang LY & Coward WA Plasma phylloquinone (vitamin K_1) concentration and its relationship to intake in British adults aged 19–64 years. 1116
Han K-H, Sekikawa M, Shimada K-i, Hashimoto M, Hashimoto N, Noda T, Tanaka H & Fukushima M Anthocyanin-rich purple potato flake extract has antioxidant capacity and improves antioxidant potential in rats. 1125
Lin X-M, Ji C-Y, Liu W-J, Long Z & Shen X-Y Levels of serum transferrin receptor and its response to Fe-supplement in Fe-deficient children. 1134
Moschonis G & Manios Y Skeletal site-dependent response of bone mineral density and quantitative ultrasound parameters following a 12-month dietary intervention using dairy products fortified with calcium and vitamin D: the Postmenopausal Health Study. 1140
Montgomery C, Jackson DM, Kelly LA & Reilly JJ Parental feeding style, energy intake and weight status in young Scottish children. 1149
Hayashi F, Takimoto H, Yoshita K & Yoshiike N Perceived body size and desire for thinness of young Japanese women: a population-based survey. 1154
Hosking J, Metcalf BS, Jeffery AN, Voss LD & Wilkin TJ Validation of foot-to-foot bioelectrical impedance analysis with dual-energy X-ray absorptiometry in the assessment of body composition in young children: the EarlyBird cohort. 1163
Cohen RD Fatal flaw in the fetal argument (Nutrition Discussion Forum). 1169
Huxley R Fatal flaw in the fetal argument (Nutrition Discussion Forum). 1170
Waterlow J Adequacy of exclusive breast-feeding in 6-month-old infants (Letter to the Editor). 1171
Bonham M Book reviews 1172

Volume 96
Index of Authors

Abdel-Wahab YHA, see Hannan JMA, 131
Adami H-O, see Lagiou P, 384
Agosti F, see Lazzer S, 973
Aguilera CM, see Gil-Campos M, 201
Ahmad MH, see Bahado-Singh PS, 476
Ahmed I & Khan MA *Dietary branched-chain amino acid valine, isoleucine and leucine requirements of fingerling Indian major carp, Cirrhinus mrigala* (Hamilton), DOI: 10.1079/BJN20061845, 450
Ahmed T, see Sempértegui F, 845
Ahuja KDK & Ball MJ *Effects of daily ingestion of chilli on serum lipoprotein oxidation in adult men and women (Short Communication)*, DOI: 10.1079/BJN20061788, 239
Aitken RP, see Wallace JM, 1060
Åkesson B, see Elsom R, 980
Akhter M, see Hannan JMA, 131
Al-Amin ZM, Thomson M, Al-Qattan KK, Peltonen-Shalaby R & Ali M *Anti-diabetic and hypolipidaemic properties of ginger (Zingiber officinale) in streptozotocin-induced diabetic rats*, DOI: 10.1079/BJN20061849, 660
Al-Qattan KK, see Al-Amin ZM, 660
Alanis-Guzman MG, see Amaya-Guerra C, 161
Alexander TW, Reuter T, Okine E, Sharma R & McAllister TA *Conventional and real-time polymerase chain reaction assessment of the fate of transgenic DNA in sheep fed Roundup Ready® rapeseed meal*, DOI: 10.1017/BJN20061935, 997
Ali L, see Hannan JMA, 131
Ali M, see Al-Amin ZM, 660
Almaas H, Holm H, Langsrud T, Flengsrud R &Vegarud GE *In vitro studies of the digestion of caprine whey proteins by human gastric and duodenal juice and the effects on selected microorganisms*, DOI: 10.1079/BJN20061739, 562
Alvarez SM, see Gomez NN, 1038
Amaya-Guerra C, Serna Saldívar SO & Alanis-Guzman MG *Soyabean fortification and enrichment of regular and quality protein maize tortillas affects brain development and maze performance of rats*, DOI: 10.1079/BJN20061804, 161
Amichay D, see Elinson N, 691
Anba J, see Mater DDG, 177
Andlid T, see Bergqvist SW, 705
Andrés P, see Ortega RM, 712
Andriollo-Sanchez M, see Maylor EA, 752
Aparicio A, see Ortega RM, 712
Ara I, Perez-Gomez J, Vicente-Rodriguez G, Chavarren J, Dorado C & Calbet JAL *Serum free testosterone, leptin and soluble leptin receptor changes in a 6-week strength-training programme*, DOI: 10.1017/BJN20061956, 1053
Arab K, see Maillard V, 18
Arab K, Rossary A, Soulère L & Steghens J-P *Conjugated linoleic acid, unlike other unsaturated fatty acids, strongly induces glutathione synthesis without any lipoperoxidation*, DOI: 10.1017/BJN20061910, 811
Arantes VC, Reis MAB, Latorraca MQ, Ferreira F, Stoppiglia LF, Carneiro EM & Boschero AC *Palmitic acid increase levels of pancreatic duodenal homeobox-1 and p38/stress-activated protein kinase in islets from rats maintained on a low protein diet*, DOI: 10.1017/BJN20061950, 1006
Araujo R, see Lima CF, 326
Arivarasu NA, see Farooq N, 1087
Arkkola T, Uusitalo U, Pietikäinen M, Metsälä J, Kronberg-Kippilä C, Erkkola M, Veijola R, Knip M, Virtanen SM & Ovaskainen M-L *Dietary intake and use of dietary supplements in relation to demographic variables among pregnant Finnish women*, DOI: 10.1017/BJN20061929, 913
Arthur JR, see Elsom R, 980
Arvanitidou M, see Papandreou D, 719
Asemota HN, see Bahado-Singh PS, 476
Ashwell M, see Singh M, 770
Azevedo MF, see Lima CF, 326

Badaloo A, see Marshall KG, 243
Badran AM, see Schneider SM, 365
Bahado-Singh PS, Wheatley AO, Ahmad MH, Morrison EYSA & Asemota HN *Food processing methods influence the glycaemic indices of some commonly eaten West Indian carbohydrate-rich foods*, DOI: 10.1079/BJN20061792, 476
Bajka BH, Topping DL, Cobiac L & Clarke JM *Butyrylated starch is less susceptible to enzymic hydrolysis and increases large-bowel butyrate more than high-amylose maize starch in the rat*, DOI: 10.1079/BJN20061807, 276
Bakewell L, Burdge GC & Calder PC *Polyunsaturated fatty acid concentrations in young men and women consuming their habitual diets*, DOI: 10.1079/BJN20061801, 93
Bal dit Sollier C, see Soulat T, 290
Ball MJ, see Ahuja KDK, 239
Bammens B, see Geboes KP, 1078
Barbara M, see Anne Moorhead S, 587
Barclay AW, Brand-Miller JC & Mitchell P *Macronutrient intake, glycaemic index and glycaemic load of older Australian subjects with and without diabetes: baseline data from the Blue Mountains Eye Study*, DOI: 10.1079/BJN20051660, 117
Bates CJ, see Moore SE, 508
Bates CJ, Prentice A, Birch MC, Delves HT & Sinclair KA *Blood indices of selenium and mercury & their correlations with fish intake, in young people living in Britain*, DOI: 10.1079/BJN20061847, 523
Bayele H, see El-Mohsen MA, 62
Beard JL, see Singh M, 985
Benzie IFF, Chung WY, Wang J, Richelle M & Bucheli P *Enhanced bioavailability of zeaxanthin in a milk-based formulation of wolfberry (Gou Qi Zi;* Fructus barbarum L.), DOI: 10.1079/BJN20061796, 154
Berge N, see Soulat T, 290
Berge RK, see Gudbrandsen OA, 249
Berggren A, see Bering S, 80
Bergqvist SW, Andlid T & Sandberg A-S *Lactic acid fermentation stimulated iron absorption by Caco-2 cells is associated with increased soluble iron content in carrot juice*, DOI: 10.1079/BJN20061905, 705
Bering S, Suchdev S, Sjøltov L, Berggren A, Tetens I & Bukhave K *A lactic acid-fermented oat gruel increases non-haem iron absorption from a phytate-rich meal in healthy women of childbearing age*, DOI: 10.1079/BJN20051683, 80
Bermejo LM, see Ortega RM, 712
Bermingham EN, McNabb WC, Sutherland IA, Sinclair BR, Treloar BP & Roy NC *Whole-body valine and cysteine kinetics and tissue fractional protein synthesis rates in lambs fed Sulla (Hedysarum coronarium)* and infected or not infected with adult *Trichostrongylus colubriformis*, DOI: 10.1079/BJN20051627, 28
Bertrais S, see Mennen LI, 191
Besson C, see Lafay S, 39
Bettzieche A, see Shukla A, 674
Beyer-Sehlmeyer G, see Kiefer J, 803

Biaggio VS, see Gomez NN, 1038
Biesalski HK, see Chichili GR, 643
Birch MC, see Bates CJ, 523
Birk RZ, see Elinson N, 691
Birkenfeld C, Kluge H & Eder K L-*carnitine supplementation of sows during pregnancy improves the suckling behaviour of their offspring*, DOI: 10.1079/BJN20061833, 334
Blaschitz A, see Klingler M, 182
Boban PT, Nambisan B & Sudhakaran PR *Hypolipidaemic effect of chemically different mucilages in rats: a comparative study*, DOI: 10.1017/BJN20061944, 1021
Bocca C, see Miglietta A, 22
Boekholdt SM, Meuwese MC, Day NE, Luben R, Welch A, Wareham NJ & Khaw K-T *Plasma concentrations of ascorbic acid and C-reactive protein, and risk of future coronary artery disease, in apparently healthy men and women: the EPIC-Norfolk prospective population study*, DOI: 10.1079/BJN20061846, 516
Bolton-Smith C, see Thane CW, 1105
Boschero AC, see Arantes VC, 1006
Boucher BJ *Dietary risk factors for the emergence of type 1 diabetes-related autoantibodies in $2\frac{1}{2}$-year-old Swedish children – Comments by Boucher (Nutrition Discussion Forum)*, DOI: 10.1017/BJN20061840, 991
Bougnoux BJ, see Maillard V, 18
Bovy A, see Hubbard GP, 482
Bozzo F, see Miglietta A, 22
Bramwell GD, see Mishra GD, 735
Brand-Miller JC, see Barclay AW, 117
Brandsch C, see Shukla A, 674
Breithaupt DE, see Schlatterer J, 371
Breves G, see Koch M, 820
Brézillon C, see Soulat T, 290
Brug J, see Kamphuis CBM, 620
Brunstrom JM & Mitchell GL *Effects of distraction on the development of satiety*, DOI: 10.1079/BJN20061880, 761
Bryant M, Truesdale KP & Dye L *Modest changes in dietary intake across the menstrual cycle: implications for food intake research*, DOI: 10.1017/BJN20061931, 888
Bucheli P, see Benzie IFF, 154
Bukhave K, see Bering S, 80
Burdge GC, see Bakewell L, 93
Burdge GC *Homocysteine: a role in fetal programming? (Invited Commentary)*, 415
Burdge GC, Powell J & Calder PC *Lack of effect of meal fatty acid composition on postprandial lipid, glucose and insulin responses in men and women aged 50–65 years consuming their habitual diets*, DOI: 10.1079/BJN20061877, 489
Burelle Y, Lamoureux M-C, Péronnet F, Massicotte D & Lavoie C *Comparison of exogenous glucose, fructose and galactose oxidation during exercise using ^{13}C-labelling*, DOI: 10.1079/BJN20061799, 56
Burns AA, see Anne Moorhead S, 587
Burton P & Lightowler HJ *Influence of bread volume on glycaemic response and satiety*, DOI: 10.1017/BJN20061900, 877

Caballero MJ, Torstensen BE, Robaina L, Montero D & Izquierdo M *Vegetable oils affect the composition of lipoproteins in sea bream (Sparus aurata)*, DOI: 10.1017/BJN20061909, 830
Cade J, see Singh M, 770
Calbet JAL, see Ara I, 1053
Calder PC, see Bakewell L, 93
Calder PC, see Burdge GC, 489
Calder PC, Krauss-Etschmann S, de Jong EC, Dupont C, Frick -JS, Frokiaer H, Heinrich J, Garn H, Koletzko S, Lack G, Mattelio G, Renz H, Sangild PT, Schrezenmeir J, Stulnig TM, Thymann T, Wold AE & Koletzko B *Early nutrition and immunity – progress and perspectives (Workshop Report)*, DOI: 10.1079/BJN20061917, 774
Callebert J, see Soulat T, 290
Campillo JE, see Tormo MA, 539
Campoy C, see Klingler M, 182
Candil SD, see Martínez JJG, 956
Cañete R, see Gil-Campos M, 201
Caño A, see Klingler M, 182
Canuto RA, see Miglietta A, 22
Cardoso MA, see Damião R, 532
Carneiro EM, see Paula ACB, 310
Carneiro EM, see Arantes VC, 1006
Cashman KD, see Viljakainen HT, 124
Castro TG, see Damião R, 532
Cermak R, see Lesser S, 1047
Chaikomin R, Russo A, Rayner CK, Feinle-Bisset C, O'Donovan DG, Horowitz M & Jones KL *Effects of lipase inhibition on gastric emptying and alcohol absorption in healthy subjects*, DOI: 10.1017/BJN20061922, 883
Chajès V, see Maillard V, 18
Chan Y-C, see Liao J-W, 400
Chan KM, see Tse MCL, 650
Chapados N, see Collin P, 268
Chardigny J-M, see Faulconnier Y, 461
Chavarren J, see Ara I, 1053
Chen J-R, see Chen S-T, 435
Chen S-T, Yang H-Y, Huang H-Y, Peng S-J & Chen J-R *Effects of various soya protein hydrolysates on lipid profile, blood pressure and renal function in five-sixths nephrectomized rats*, DOI: 10.1079/BJN20061751, 435
Chen X-D, see Xiao S-M, 949
Chen Y-m, Ho SC & Woo JLF *Greater fruit and vegetable intake is associated with increased bone mass among postmenopausal Chinese women*, DOI: 10.1079/BJN20061883, 745
Chen Z, Shu XO, Yang G, Li H, Li Q, Gao Y-T & Zheng W *Nutrient intake among Chinese women living in Shanghai, China*, DOI: 10.1079/BJN20061829, 393
Cheng CHK, see Tse MCL, 650
Chichili GR, Nohr D, Frank J, Flaccus A, Fraser PD, Enfissi EMA & Biesalski HK *Protective effects of tomato extract with elevated β-carotene levels on oxidative stress in ARPE-19 cells*, DOI: 10.1079/BJN20061843, 643
Chilliard Y, see Faulconnier Y, 461
Chiu W-C, see Hsu C-S, 854
Chou S-Y, see Hsu C-S, 854
Chronopoulou R, Xylouri E, Fegeros K & Politis I *The effect of two bovine β-casein peptides on various functional properties of porcine macrophages and neutrophils: differential roles of protein kinase A and exchange protein directly activated by cyclic AMP-1*, DOI: 10.1079/BJN20061834, 553
Chung WY, see Benzie IFF, 154
Clarke JM, see Bajka BH, 276
Cobiac L, see Bajka BH, 276
Cohen RD *Fatal flaw in the fetal argument (Nutrition Discussion Forum)*, DOI: 10.1017/BJN20061887, 1169
Collin P, Chapados N, Dufresne E, Corriveau P, Imbeault P & Lavoie J-M *Time course of changes in in vitro* lipolysis of intra-abdominal fat depots in relation to high-fat diet-induced hepatic steatosis in rats, DOI: 10.1079/BJN20061775, 268
Cook JD, see Singh M, 770
Corraze G, see Richard N, 299
Corriveau P, see Collin P, 268
Corthier G, see Mater DDG, 177
Cosquéric G, Sebag A, Ducolombier C, Thomas C, Piette F & Weill-Engerer S *Sarcopenia is predictive of nosocomial infection in care of the elderly*, DOI: 10.1017/BJN20061943, 895
Costa AMA, see Nascimento AP, 1069
Coudray C, see Maylor EA, 752
Coudray-Lucas C, see Schneider SM, 365
Couillard C, see Ruel G, 357
Couture P, see Ruel G, 357
Coward WA, see Thane CW, 1105
Coward WA, see Thane CW, 1116

Crozier A, see Mullen W, 107
Cummings NK, James AP & Soares MJ *The acute effects of different sources of dietary calcium on postprandial energy metabolism*, DOI: 10.1079/BJN20061803, 138
Cynober L, see Schneider SM, 365

Dabadie H, Motta C, Peuchant E, LeRuyet P & Mendy F *Variations in daily intakes of myristic and α-linolenic acids in sn-2 position modify lipid profile and red blood cell membrane fluidity*, DOI: 10.1079/BJN20061813, 283
Dai Y, see Shi Z, 906
Damião R, Castro TG, Cardoso MA, Gimeno SGA, Ferreira SRG *Dietary intakes associated with metabolic syndrome in a cohort of Japanese ancestry*, DOI: 10.1079/BJN20061876, 532
Day NE, see Boekholdt SM, 516
Debnam E, see El-Mohsen MA, 62
de Bruijn G-J, see Kamphuis CBM, 620
De Col A, see Lazzer S, 973
De Hertogh G, see Geboes KP, 1078
de Jong EC, see Calder PC, 774
De Preter V, see Geboes KP, 1078
de Vos R, see Hubbard GP, 482
del Rosario Ayala M, Racotta R, Hernández-Montes H & Quevedo L *Some metabolic effects on lactating rats of a low-energy diet restricted in good-quality protein*, DOI: 10.1079/BJN20061873, 667
Delves HT, see Bates CJ, 523
Demigné C, see Rault-Nania M-H, 840
Demmelmair H, see Klingler M, 182
Demougeot C, see Rault-Nania M-H, 840
Deng F-Y, see Xiao S-M, 949
Deng H-W, see Xiao S-M, 949
Desoye G, see Klingler M, 182
Devillard E, McIntosh FM, Newbold CJ & Wallace RJ *Rumen ciliate protozoa contain high concentrations of conjugated linoleic acids and vaccenic acid, yet do not hydrogenate linoleic acid or desaturate stearic acid*, DOI: 10.1079/BJN20061884, 697
Dodson B, see Morrison DJ, 570
Dohr G, see Klingler M, 182
Dorado A, see Olveira G, 343
Dorado C, see Ara I, 1053
Dosti MP, Mills JP, Simon PW & Tanumihardjo SA *Bioavailability of β-carotene (βC) from purple carrots is the same as typical orange carrots while high-βC carrots increase βC stores in Mongolian gerbils (Meriones unguiculatus)*, DOI: 10.1079/BJN20061562, 258
Drouault-Holowacz S, see Mater DDG, 177
Drouet L, see Soulat T, 290
Ducolombier C, see Cosquéric G, 895
Dufresne E, see Collin P, 268
Duggleby RG, see McCourt JA, 636
Dunne A, see Anne Moorhead S, 587
Dupont C, see Calder PC, 774
Durand D, see Faulconnier Y, 461
Dye L, see Bryant M, 888

Easwaran PP, see Kuriyan R, 71
Eder K, see Brikenfeld C, 334
Eder K, see Shukla A, 674
Edwards CA, see Mullen W, 107
Edwards CA, see Morrison DJ, 570
Efthymiou L, see Whelan K, 350
El-Mohsen MA, Bayele H, Kuhnle G, Gibson G, Debnam E, Kaila Srai S, Rice-Evans C & Spencer JPE *Distribution of [^{3}H] trans-resveratrol in rat tissues following oral administration*, DOI: 10.1079/BJN20061810, 62
Elia M, see Stratton RJ, 870
Elinson N, Amichay D & Birk RZ *Leptin directly regulates exocrine pancreas lipase and two related proteins in the rat*, DOI: 10.1079/BJN20061906, 691
Elmieh N, see Sempértegui F, 845
Elsom R, Sanderson P, Hesketh JE, Jackson MJ, Fairweather-Tait SJ, Åkesson B, Handy J & Arthur JR *Functional markers of selenium status: UK Food Standards Agency workshop report (Workshop Report)*, DOI: 10.1017/BJN20061893, 980
Enfissi EMA, see Chichili GR, 643
Erkkola M, see Arkkola T, 913
Espe M, see Gudbrandsen OA, 249
Estrella B, see Sempértegui F, 845
Evenepoel P, see Geboes KP, 1078

Fairweather-Tait S, see Singh M, 770
Fairweather-Tait SJ, see Elsom R, 980
Fairweather-Tait SJ, see Singh M, 985
Farah Khan SS, see Farooq N, 1087
Farooq N, Priyamvada S, Arivarasu NA, Farah Khan SS & Yusufi ANK *Influence of Ramadan-type fasting on enzymes of carbohydrate metabolism and brush border membrane in small intestine and liver of rat used as a model*, DOI: 10.1017/BJN20061942, 1087
Farrall M, see Marshall KG, 243
Faulconnier Y, Roy A, Ferlay A, Chardigny J-M, Durand D, Lorenz S, Gruffat D & Chilliard Y *Effect of dietary supply of butters rich either in* trans-*10-18 : 1 or in* trans-*11-18 : 1 plus* cis-*9*, trans-*11-18 : 2 on rabbit adipose tissue and liver lipogenic activities*, DOI: 10.1079/BJN20061851, 461
Fegeros K, see Chronopoulou R, 553
Feinle-Bisset C, see Chaikomin R, 883
Ferlay A, see Faulconnier Y, 461
Fernandes-Ferreira M, see Lima CF, 326
Ferreira SRG, see Damião R, 532
Ferreira F, see Arantes VC, 1006
Flaccus A, see Chichili GR, 643
Flatt PR, see Hannan JMA, 131
Flengsrud R, see Almaas H, 562
Ford F, see Mouratidou T, 929
Forrester T, see Marshall KG, 243
Forsum E, Löf M, Olausson H & Olhager E *Maternal body composition in relation to infant birth weight and subcutaneous adipose tissue*, DOI: 10.1079/BJN20061828, 408
Frank J, see Chichili GR, 643
Fraser PD, see Chichili GR, 643
Fraser R, see Mouratidou T, 929
Frick see Calder PC, 774
Friis H, see Kongsbak K, 725
Frokiaer H, see Calder PC, 774
Fukushima M, see Han K-H, 1125

Gabriel L, see Miglietta A, 22
Galan P, see Mennen LI, 191
Gao Y-T, see Chen Z, 393
García-Escobar E, see Olveira G, 343
Gardette J, see Ouguerram K, 100
Garn H, see Calder PC, 774
Gaspar I, see Olveira G, 343
Geboes KP, De Hertogh G, De Preter V, Luypaerts A, Bammens B, Evenepoel P, Ghoos Y, Geboes K, Rutgeerts P & Verbeke K *The influence of inulin on the absorption of nitrogen and the production of metabolites of protein fermentation in the colon*, DOI: 10.1079/BJN20061936, 1078
Geboes K, see Geboes KP, 1078
Gehrardt M-F, see Schneider SM, 365
Geissler C, see Singh M, 985
Genaitay M, see Ryan M, 945
Ghoos Y, see Geboes KP, 1078
Gibbins JM, see Hubbard GP, 482
Gibson G, see El-Mohsen MA, 62
Gil A, see Gil-Campos M, 201
Gil-Campos M, Aguilera CM, Cañete R & Gil A *Ghrelin: a hormone regulating food intake and energy homeostasis (Review Articles)*, DOI: 10.1079/BJN20061787, 201

Gil-Exojo I, see Tormo MA, 539
Gimenez MS, see Gomez NN, 1038
Gimeno SGA, see Damião R, 532
Giskes K, see Kamphuis CBM, 620
Gomez NN, Biaggio VS, Rozzen EJ, Alvarez SM & Gimenez MS *Zn-limited diet modifies the expression of the rate-regulatory enzymes involved in phosphatidylcholine and cholesterol synthesis*, DOI: 10.1017/BJN20061951, 1038
González J, see Rodríguez CA, 316
Gonzalo M, see Olveira G, 343
Gowans S, see Skeaff CM, 377
Goyenechea E, Parra MD & Martínez JA *Weight regain after slimming induced by an energy-restricted diet depends on interleukin-6 and peroxisome-proliferator-activated-receptor-γ2 gene polymorphisms*, DOI: 10.1017/BJN20061901, 965
Gracioso JS, see Paula ACB, 310
Gromadzinska J, see Reszka E, 609
Gruffat D, see Faulconnier Y, 461
Gudbrandsen OA, Wergedahl H, Mørk S, Liaset B, Espe M & Berge RK *Dietary soya protein concentrate enriched with isoflavones reduced fatty liver, increased hepatic fatty acid oxidation and decreased the hepatic mRNA level of VLDL receptor in obese Zucker rats*, DOI: 10.1079/BJN20061837, 249
Gueux E, see Rault-Nania M-H, 840
Guilland J-C, see Herbeth B, 1013
Guilloteau G, see Ryan M, 945
Guo J-J, see Xiao S-M, 949
Guo Y-F, see Xiao S-M, 949

Haan M-C, see Platat C, 501
Hahn A, see Schlatterer J, 371
Hamer DH, see Sempértegui F, 845
Han J, see Zhang Z, 418
Han K-H, Sekikawa M, Shimada K-A, Hashimoto M, Hashimoto N, Noda T, Tanaka H & Fukushima M *Anthocyanin-rich purple potato flake extract has antioxidant capacity and improves antioxidant potential in rats*, DOI: 10.1017/BJN20061928, 1125
Handy J, see Elsom R, 980
Hannan JMA, Ali L, Khaleque J, Akhter M, Flatt PR & Abdel-Wahab YHA *Aqueous extracts of husks of* ***Plantago ovata*** *reduce hyperglycaemia in type 1 and type 2 diabetes by inhibition of intestinal glucose absorption*, DOI: 10.1079/BJN20061819, 131
Hara H, see Tamura A, 442
Hashimoto M, see Han K-H, 1125
Hashimoto N, see Han K-H, 1125
Hayashi F, Takimoto H, Yoshita K & Yoshiike N *Perceived body size and desire for thinness of young Japanese women: a population-based survey*, DOI: 10.1017/BJN20061921, 1154
Heinrich J, see Calder PC, 774
Heinrich J, see Sausenthaler S, 607
Herbeth B, Guilland J-C, Rochette L, Siest G & Visvikis-Siest S *Genetic and environmental contributions to serum ascorbic acid concentrations: the Stanislas Family Study*, DOI: 10.1017/BJN20061978, 1013
Hercberg S, see Mennen LI, 191
Heritage J, see Koch M, 820
Hermans JM, see Verlinden A, 936
Hernández-Montes H, see del Rosario Ayala M, 667
Herrera E, see López-Soldado I, 1030
Hesketh JE, see Elsom R, 980
Hesta M, see Verlinden A, 936
Hirche F, see Shukla A, 674
Hiruma-Lima CA, see Paula ACB, 310
Ho SC, see Chen Y-m, 745
Høieggen A, see Tonstad S, 993
Hoinard C, see Maillard V, 18
Holm H, see Almaas H, 562
Holmboe-Ottesen G, see Shi Z, 906
Holst JJ, see Weickert MO, 795
Horgan G, see Mazlan N, 596
Horowitz M, see Chaikomin R, 883
Hosking J, Metcalf BS, Jeffery AN, Voss LD & Wilkin TJ *Validation of foot-to-foot bioelectrical impedance analysis with dual-energy X-ray absorptiometry in the assessment of body composition in young children: the EarlyBird cohort*, DOI: 10.1017/BJN20061960, 1163
Hou Y-C, see Hsu C-S, 854
Howell S, see Marshall KG, 243
Hsu C-K, see Liao J-W, 400
Hsu C-S, Chiu W-C, Yeh C-L, Hou Y-C, Chou S-Y & Yeh S-L *Dietary fish oil enhances adhesion molecule and interleukin-6 expression in mice with polymicrobial sepsis*, DOI: 10.1017/BJN20061891, 854
Hsu W-M, see Liao J-W, 400
Hu X, see Shi Z, 906
Huang H-Y, see Chen S-T, 435
Hubbard GP, Wolffram S, de Vos R, Bovy A, Gibbins JM & Lovegrove JA *Ingestion of onion soup high in quercetin inhibits platelet aggregation and essential components of the collagen-stimulated platelet activation pathway in man: a pilot study*, DOI: 10.1079/BJN20061831, 482
Huber K, see Koch M, 820
Hurrell RF, see Singh M, 985
Huxley R *Fatal flaw in the fetal argument*, DOI: 10.1017/BJN20061888, 1170

Imbeault P, see Collin P, 268
Inoue M, see Nakamura Y, 921
Ip B, see Wolever TMS, 799
Iso H, see Nakamura Y, 921
Isolauri E, see Piirainen T, 1095
Ito H, see Mennen LI, 191
Izquierdo M, see José Caballero M, 830

Jackson MJ, see Elsom R, 980
Jackson DM, see Montgomery C, 1149
Jahreis G, see Vásquez-Garibay E, 683
Jakobsen J, see Viljakainen HT, 124
James AP, see Cummings NK, 138
Janssens GPJ, see Verlinden A, 936
Jardim JR, see Lerario MC, 86
Jeffery AN, see Hosking J, 1163
Ji C-Y, see Lin X-M, 1134
Jian W-X, see Xiao S-M, 949
Jiang C, see Xiao S-M, 949
Jiang H, see Xiao S-M, 949
Joly F, see Schneider SM, 365
Jones KL, see Chaikomin R, 883
Jordan M, see Sempértegui F, 845
Jourdan M-L, see Maillard V, 18
Judd PA, see Whelan K, 350

Kaila Srai S, see El-Mohsen MA, 62
Kamphuis CBM, Giskes K, de Bruijn G-J, Wendel-Vos W, Brug J & van Lenthe FJ *Environmental determinants of fruit and vegetable consumption among adults: a systematic review (Systematic Review)*, DOI: 10.1079/BJN20061896, 620
Kärkkäinen M, see Viljakainen HT, 124
Kärkkäinen MUM, see Kemi VE, 545
Kaushik S, see Richard N, 299
Kelly LA, see Montgomery C, 1149
Kemi VE, Kärkkäinen MUM & Lamberg-Allardt CJE *High phosphorus intakes acutely and negatively affect Ca and bone metabolism in a dose-dependent manner in healthy young females*, DOI: 10.1079/BJN20061838, 545
Kennedy DO, see Reay JL, 639
Khaleque J, see Hannan JMA, 131

Khan MA, see Ahmed I, 450
Khaw K-T, see Boekholdt SM, 516
Kiefer J, Beyer-Sehlmeyer G & Pool-Zobel BL *Mixtures of SCFA, composed according to physiologically available concentrations in the gut lumen, modulate histone acetylation in human HT29 colon cancer cells*, DOI: 10.1017/BJN20061948, 803
Kita Y, see Nakamura Y, 921
Klemsdal TO, see Tonstad S, 993
Klingler M, Blaschitz A, Campoy C, Caño A, Molloy AM, Scott JM, Dohr G, Demmelmair H, Koletzko B & Desoye G *The effect of docosahexaenoic acid and folic acid supplementation on placental apoptosis and proliferation*, DOI: 10.1079/BJN20061812, 182
Kluge H, see Birkenfeld C, 334
Knip M, see Arkkola T, 913
Koch M, Strobel E, Tebbe CC, Heritage J, Breves G & Huber K *Transgenic maize in the presence of ampicillin modifies the metabolic profile and microbial population structure of bovine rumen fluid* ***in vitro***, DOI: 10.1017/BJN20061889, 820
Koebnick C, see Weickert MO, 795
Kohlhammer Y, see Sausenthaler S, 607
Koletzko B, see Klingler M, 182
Koletzko B, see Sausenthaler S, 607
Koletzko B, see Calder PC, 774
Koletzko S, see Sausenthaler S, 607
Koletzko S, see Calder PC, 774
Kongsbak K, Wahed MA, Friis H & Thilsted SH *Acute-phase protein levels, diarrhoea,* ***Trichuris trichiura*** *and maternal education are predictors of serum retinol: a cross-sectional study of children in a Dhaka slum, Bangladesh*, DOI: 10.1079/BJN20061898, 725
Konishi M, see Nakamura Y, 921
Kratzsch J, see Vásquez-Garibay E, 683
Krauss-Etschmann S, see Calder PC, 774
Krempf M, see Ouguerram K, 100
Kronberg-Kippilä C, see Arkkola T, 913
Kuhnle G, see El-Mohsen MA, 62
Kuriyan R, Easwaran PP & Kurpad AV *Physical activity ratio of selected activities in Indian male and female subjects and its relationship with body mass index*, DOI: 10.1079/BJN20051672, 71
Kurpad AV, see Kuriyan R, 71

Lack G, see Calder PC, 774
Lafay S, Morand C, Manach C, Besson C & Scalbert A *Absorption and metabolism of caffeic acid and chlorogenic acid in the small intestine of rats*, DOI: 10.1079/BJN20051714, 39
Lagiou A, see Lagiou P, 384
Lagiou P, Trichopoulos D, Sandin S, Lagiou A, Mucci L, Wolk A, Weiderpass E & Adami H-O *Mediterranean dietary pattern and mortality among young women: a cohort study in Sweden*, DOI: 10.1079/BJN20061824, 384
Lagström H, see Piirainen T, 1095
Laitinen K, see Piirainen T, 1095
Lamarche B, see Ruel G, 357
Lamberg-Allardt C, see Viljakainen HT, 124
Lamberg-Allardt CJE, see Kemi VE, 545
Lambo-Fodje AM, Öste R & Nyman MEG-L, *Short-chain fatty acid formation in the hindgut of rats fed native and fermented oat fibre concentrates*, DOI: 10.1079/BJN20061797, 47
Lamoureux M-C, see Burelle Y, 56
Landaas S, see Tonstad S, 993
Langdon JH *Has an aquatic diet been necessary for hominin brain evolution and functional development?* (***Review Article***), *DOI: 10.1079/BJN20061805, 7*
Langella P, see Mater DDG, 177
Langley-Evans SC, Lilley C & McMullen S *Maternal protein restriction and fetal growth: lack of evidence of a role for homocysteine in fetal programming*, DOI: 10.1079/BJN20061822, 578
Langsrud T, see Almaas H, 562
Larroquet L, see Richard N, 299
Latorraca MQ, see Arantes VC, 1006
Lau TY & Leung LK, *Soya isoflavones suppress phorbol 12-myristate 13-acetate-induced COX-2 expression in MCF-7 cells*, DOI: 10.1079/BJN20061639, 169
Lavoie C, see Burelle Y, 56
Lavoie J-M, see Collin P, 268
Lazaretti-Castro M, see Lerario MC, 86
Lazzer S, Agosti F, De Col A & Sartorio A *Development and cross-validation of prediction equations for estimating resting energy expenditure in severely obese Caucasian children and adolescents*, DOI: 10.1017/BJN20061941, 973
Lei S-F, see Xiao S-M, 949
Lemieux S, see Ruel G, 357
LeRuyet P, see Dabadie H, 283
Lerario MC, Sachs A, Lazaretti-Castro M, Saraiva LG & Jardim JR *Body composition in patients with chronic obstructive pulmonary disease: which method to use in clinical practice?*, DOI: 10.1079/BJN20061798, 86
Lesser S, Cermak R & Wolffram S *The fatty acid pattern of dietary fat influences the oral bioavailability of the flavonol quercetin in pigs*, DOI: 10.1017/BJN20061953, 1047
Leung LK, see Lau TY, 169
Li H, see Chen Z, 393
Li L, see Zhang Z, 418
Li Q, see Chen Z, 393
Li Y, see Zhang Z, 418
Li Y-N, see Xiao S-M, 949
Liao J-W, Hsu C-K, Wang M-F, Hsu W-M & Chan Y-C *Benificial effect of* Toona sinensis *Roemor on improving cognitive performance and brain degeneration in senescence-accelerated mice*, DOI: 10.1079/BJN20061823, 400
Liaset B, see Gudbrandsen OA, 249
Lightowler HJ, see Burton P, 877
Lilley C, see Langley-Evans SC, 578
Lima CF, Azevedo MF, Araujo R, Fernandes-Ferreira M & Pereira-Wilson C *Metformin-like effect of* ***Salvia officinalis*** *(common sage): is it useful in diabetes prevention?*, DOI: 10.1079/BJN20061832, 326
Lin X-M, Ji C-Y, Liu W-J, Long Z & Shen X-Y *Levels of serum transferrin receptor and its response to Fe-supplement in Fe-deficient children*, DOI: 10.1017/BJN20061954, 1134
Liu M-Y, see Xiao S-M, 949
Liu P, see Zhang Z, 418
Liu W-J, see Lin X-M, 1134
Livingstone E, see Anne Moorhead S, 587
Livingstone MBE, see Ryan M, 945
Löf M, see Forsum E, 408
Long Z, see Lin X-M, 1134
López-Plaza B, see Ortega RM, 712
López-Sobaler AM, see Ortega RM, 712
López-Soldado I, Munilla MA & Herrera E *Long-term consequences of under-nutrition during suckling on glucose tolerance and lipoprotein profile in female and male rats*, DOI: 10.1017/BJN20061949, 1030
Lorenz S, see Faulconnier Y, 461
Lovegrove JA, see Hubbard GP, 482
Luben R, see Boekholdt SM, 516
Luypaerts A, see Geboes KP, 1078

Mackay WG, see Morrison DJ, 570
Magot T, see Ouguerram K, 100
Maillard V, Hoinard C, Arab K, Jourdan M-L, Bougnoux P & Chajès V *Dietary β-carotene inhibits mammary carcinogenesis in rats depending on dietary α-linolenic acid content (Short Communication)*, DOI: 10.1079/BJN20061781, 18
Makedou A, see Papandreou D, 719
Manach C, see Lafay S, 39
Manios Y, see Moschonis G, 1140

Mansoor MA, see Moore SE, 508
Marshall KG, Howell S, Reid M, Badaloo A, Farrall M, Forrester T & McKenzie CA *Glutathione S-transferase polymorphisms may be associated with risk of oedematous severe childhood malnutrition*, DOI: 10.1079/BJN20061825, 243
Martínez JJG, Ruiz FA & Candil SD *Baseline serum folate level may be a predictive factor of weight loss in a morbid-obesity-management programme*, DOI: 10.1017/BJN20061899, 956
Martínez JA , see Goyenechea E, 965
Marx JJM, see Singh M, 770
Massicotte D, see Burelle Y, 56
Mater DDG, Drouault-Holowacz S, Oozeer R, Langella P, Anba J & Corthier G *β-Galactosidase production by* Streptococcus thermophilus *is higher in the small intestine than in the caecum of human-microbiota-associated mice after lactose supplementation*, DOI: 10.1079/BJN20051724, 177
Mattelio G, see Calder PC, 774
Maugeais C, see Ouguerram K, 100
Mavromichalis I, see Papandreou D, 719
Maylor EA, Simpson EEA, Secker DL, Meunier N, Andriollo-Sanchez M, Polito A, Stewart-Knox B, McConville C, O'Connor JM & Coudray C *Effects of zinc supplementation on cognitive function in healthy middle-aged and older adults: the ZENITH study*, DOI: 10.1079/BJN20061911, 752
Mazlan N, Horgan G, Whybrow S & Stubbs J *Effects of increasing increments of fat- and sugar-rich snacks in the diet on energy and macronutrient intake in lean and overweight men*, DOI: 10.1079/BJN20061750, 596
Mazur A, see Rault-Nania M-H, 840
McAllister TA, see Alexander TW, 997
McConville C, see Maylor EA, 752
McCourt JA, Nixon PF & Duggleby RG *Thiamin nutrition and catalysis-induced instability of thiamin diphosphate (Short Communication)*, DOI: 10.1079/BJN20061842, 636
McCourt M, see Anne Moorhead S, 587
McIntosh FM, see Devillard E, 697
McKenzie CA, see Marshall KG, 243
McMullen S, see Langley-Evans SC, 578
McNabb WC, see Bermingham EN, 28
McNaughton SA, see Mishra GD, 735
Mendy F, see Dabadie H, 283
Mennen LI, Sapinho D, Ito H, Bertrais S, Galan P, Hercberg S & Scalbert A *Urinary flavonoids and phenolic acids as biomarkers of intake for polyphenol-rich foods*, DOI: 10.1079/BJN20061808, 191
Merry RJ, see Yáñez-Ruiz DR, 861
Messing B, see Schneider SM, 365
Metcalf BS, see Hosking J, 1163
Metsälä J, see Arkkola T, 913
Meunier N, see Maylor EA, 752
Meuwese MC, see Boekholdt SM, 516
Meydani SN, see Sempértegui F, 845
Miglietta A *Extracellular signal-regulated kinase 1/2 and protein phosphatase 2A are involved in the antiproliferative activity of conjugated linoleic acid in MCF-7 cells*, DOI: 10.1079/BJN20051619, 22
Mills JP, see Dosti MP, 258
Milne JS, see Wallace JM, 1060
Mishra GD, McNaughton SA, Bramwell GD & Wadsworth MEJ *Longitudinal changes in dietary patterns during adult life*, DOI: 10.1079/BJN20061871, 735
Mitchell P, see Barclay AW, 117
Mitchell GL, see Brunstrom JM, 761
Moghaddam E, see Wolever TMS, 799
Möhlig M, see Weickert MO, 795
Mølgaard C, see Viljakainen HT, 124
Molloy AM, see Klingler M, 182
Montero D, see José Caballero M, 830
Montgomery C, Jackson DM, Kelly LA & Reilly JJ *Parental feeding style, energy intake and weight status in young Scottish children*, DOI: 10.1017/BJN20061968, 1149
Moore SE, Mansoor MA, Bates CJ & Prentice AM *Plasma homocysteine, folate and vitamin B_{12} compared between rural Gambian and UK adults*, DOI: 10.1079/BJN20061835, 508
Moorhead SA, Welch RW, Barbara M, Livingstone E, McCourt M, Burns AA & Dunne A *The effects of the fibre content and physical structure of carrots on satiety and subsequent intakes when eaten as part of a mixed meal*, DOI: 10.1079/BJN20061790, 587
Morand C, see Lafay S, 39
Moreton J, see Singh M, 770
Morifuji M, Sanbongi C & Sugiura K *Dietary soya protein intake and exercise training have an additive effect on skeletal muscle fatty acid oxidation enzyme activities and mRNA levels in rats*, DOI: 10.1079/BJN20061855, 469
Mørk S, see Gudbrandsen OA, 249
Morrison DJ, Mackay WG, Edwards CA, Preston T, Dodson B & Weaver LT *Butyrate production from oligofructose fermentation by the human faecal flora: what is the contribution of extracellular acetate and lactate?*, DOI: 10.1079/BJN20061853, 570
Morrison EYSA, see Bahado-Singh PS, 476
Moschonis G & Manios Y *Skeletal site-dependent response of bone mineral density and quantitative ultrasound parameters following a 12-month dietary intervention using dairy products fortified with calcium and vitamin D: the Postmenopausal Health Study*, DOI: 10.1017/BJN20061977, 1140
Motta C, see Dabadie H, 283
Mouratidou T, Ford F, Prountzou F & Fraser R *Dietary assessment of a population of pregnant women in Sheffield, UK*, DOI: 10.1017/BJN20061945, 929
Mucci L, see Lagiou P, 384
Mullen W, Edwards CA & Crozier A *Absorption, excretion and metabolite profiling of methyl-, glucuronyl-, glucosyl- and sulpho-conjugates of quercetin in human plasma and urine after ingestion of onions*, DOI: 10.1079/BJN20061809, 107
Munilla MA, see López-Soldado I, 1030
Myara A, see Schneider SM, 365

Nakamura Y, Iso H, Kita Y, Ueshima H, Okada K, Konishi M, Inoue M & Tsugane S *Egg consumption, serum total cholesterol concentrations and coronary heart disease incidence: Japan Public Health Center-based prospective study*, DOI: 10.1017/BJN20061937, 921
Nalini N, see Sengottuvelan M, 145
Nambisan B, see Boban PT, 1021
Nascimento AP & Costa AMA *Overweight induced by high-fat diet delays rat cutaneous wound healing*, DOI: 10.1017/BJN20061955, 1069
Newbold CJ, see Devillard E, 697
Newbold CJ, see Yáñez-Ruiz DR, 861
Nishimukai M, see Tamura A, 442
Nixon PF, see McCourt JA, 636
Noda T, see Han K-H, 1125
Nohr D, see Chichili GR, 643
Nyman MEG-L, see Lambo-Fodje AM, 47

O'Connor JM, see Maylor EA, 752
O'Donovan DG, see Chaikomin R, 883
Okada K, see Nakamura Y, 921
Okine E, see Alexander TW, 997
Okoh PN, see Onyesom I, 902
Olausson H, see Forsum E, 408
Olhager E, see Forsum E, 408
Olveira C, see Olveira G, 343
Olveira G, Dorado A, Olveira C, Padilla A, Rojo-Martínez G, García-Escobar E, Gaspar I, Gonzalo M & Soriguer F *Serum phospholipid fatty acid profile and dietary intake in an adult Mediterranean population with cystic fibrosis*, DOI: 10.1079/BJN20051655, 343

Onyesom I & Okoh PN *Quantitative analysis of nitrate and nitrite contents in vegetables commonly consumed in Delta State, Nigeria*, DOI: 10.1017/BJN20061915, 902
Oozeer R, see Mater DDG, 177
Ortega RM, López-Sobaler AM, Andrés P, Rodríguez-Rodríguez E, Aparicio A, Bermejo LM & López-Plaza B *Changes in folate status in overweight/obese women following two different weight control programmes based on an increased consumption of vegetables or fortified breakfast cereals*, DOI: 10.1079/BJN20061856, 712
Öste R, see Lambo-Fodje AM, 47
Otto B, see Weickert MO, 795
Ouguerram K, Maugeais C, Gardette J, Magot T & Krempf M *Effect of **n**-3 fatty acids on metabolism of apoB100-containing lipoprotein in type 2 diabetic subjects*, DOI: 10.1079/BJN20061806, 100
Oujaa M, see Platat C, 501
Ovaskainen M-L, see Arkkola T, 913

Padilla A, see Olveira G, 343
Palssa A, see Viljakainen HT, 124
Pan X, see Shi Z, 906
Panserat S, see Richard N, 299
Papandreou D, Mavromichalis I, Makedou A, Rousso I & Arvanitidou M *Reference range of total serum homocysteine level and dietary indexes in healthy Greek schoolchildren aged 6–15 years*, DOI: 10.1079/BJN20061882, 719
Parria MD, see Goyenechea E, 965
Paula ACB, Toma W, Gracioso JS, Hiruma-Lima CA, Carneiro EM & Souza Brito ARM ***The gastroprotective effect of the essential oil of** Croton cajucara **is different in normal rats than in malnourished rats***, DOI: 10.1079/BJN20061827, 310
Peltonen-Shalaby R, see Al-Amin ZM, 660
Peng S-J, see Chen S-T, 435
Pereira-Wilson C, see Lima CF, 326
Perez-Gomez J, see Ara I, 1053
Péronnet F, see Burelle Y, 56
Perrin A-E, see Platat C, 501
Peuchant E, see Dabadie M, 283
Pfeiffer AFH, see Weickert MO, 795
Philippe C, see Soulat T, 290
Pietikäinen M, see Arkkola T, 913
Piette F, see Cosquéric G, 895
Piirainen T, Isolauri E, Lagström H & Laitinen K *Impact of dietary counselling on nutrient intake during pregnancy: a prospective cohort study*, DOI: 10.1017/BJN20061952, 1095
Platat C, Perrin A-E, Oujaa M, Wagner A, Haan M-C, Schlienger J-L & Simon C *Diet and physical activity profiles in French preadolescents*, DOI: 10.1079/BJN20061770, 501
Poli G, see Tonello A, 791
Politis I, see Chronopoulou R, 553
Polito A, see Maylor EA, 752
Pomerleau S, see Ruel G, 357
Pool-Zobel BL, see Raschke M, 426
Pool-Zobel BL, see Kiefer J, 803
Powell J, see Burdge GC, 489
Preedy VR, see Whelan K, 350
Prentice A, see Bates CJ, 523
Prentice A, see Singh M, 985
Prentice AM, see Moore SE, 508
Preston T, see Morrison DJ, 570
Priyamvada S, see Farooq N, 1087
Prountzou F, see Mouratidou T, 929

Quevedo L, see del Rosario Ayala M, 667

Rabot S, see Soulat T, 290
Racotta R, see del Rosario Ayala M, 667
Raschke M, Wähälä K & Pool-Zobel BL *Reduced isoflavone metabolites formed by the human gut microflora suppress growth but do not affect DNA integrity of human prostate cancer cells*, DOI: 10.1079/BJN20061811, 426
Rault-Nania M-H, Gueux E, Demougeot C, Demigné C, Rock E & Mazur A *Inulin attenuates atherosclerosis in apolipoprotein E-deficient mice*, DOI: 10.1017/BJN20061913, 840
Rayner CK, see Chaikomin R, 883
Reay JL, Kennedy DO & Scholey AB *The glycaemic effects of single doses of Panax ginseng in young healthy volunteers (Short Communication)*, DOI: 10.1079/BJN20061904, 639
Redmer DA, see Wallace JM, 1060
Reeves PG, see Sempértegui F, 845
Reid M, see Marshall KG, 243
Reilly JJ, see Montgomery C, 1149
Reis MAB, see Arantes VC, 1006
Renz H, see Calder PC, 774
Reszka E, Wasowicz W & Gromadzinska J *Genetic polymorphism of xenobiotic metabolising enzymes, diet and cancer susceptibility (Review Article)*, DOI: 10.1079/BJN20061878, 609
Reuter T, see Alexander TW, 997
Rice-Evans C, see El-Mohsen MA, 62
Richard N, Kaushik S, Larroquet L, Panserat S & Corraze G *Replacing dietary fish oil by vegetable oils has little effect on lipogenesis, lipid transport and tissue lipid uptake in rainbow trout (Oncorhynchus mykiss)*, DOI: 10.1079/BJN20061821, 299
Richelle M, see Benzie IFF, 154
Richelle M, Sabatier M, Steiling H & Williamson G *Skin bioavailability of dietary vitamin E, carotenoids, polyphenols, vitamin C, zinc and selenium (Review Article)*, DOI: 10.1079/BJN20061817, 227
Ritz P, see Ryan M, 945
Robaina L, see José Caballero M, 830
Rochette L, see Herbeth B, 1013
Rock E, see Rault-Nania M-H, 840
Rodríguez A, see Sempértegui F, 845
Rodríguez CA & González J *In situ study of the relevance of bacterial adherence to feed particles for the contamination and accuracy of rumen degradability estimates for feeds of vegetable origin*, DOI: 10.1079/BJN20061830, 316
Rodríguez-Rodríguez E, see Ortega RM, 712
Roe M, see Singh M, 770
Rojo-Martínez G, see Olveira G, 343
Romero de Tejada A, see Tormo MA, 539
Romero-Velarde E, see Vásquez-Garibay E, 683
Rossary A, see Arab K, 811
Rousso I, see Papandreou D, 719
Roy A, see Faulconnier Y, 461
Roy NC, see Bermingham EN, 28
Rozzen EJ, see Gomez NN, 1038
Ruel G, Pomerleau S, Couture P, Lemieux S, Lamarche B & Couillard C *Favourable impact of low-calorie cranberry juice consumption on plasma HDL-cholesterol concentrations in men*, DOI: 10.1079/BJN20061814, 357
Ruiz FA, see Martínez JJG, 956
Russo A, see Chaikomin R, 883
Rutgeerts P, see Geboes KP, 1078
Ryan M, Sallé A, Guilloteau G, Genaitay M, Livingstone MBE & Ritz P *Resting energy expenditure is not increased in mildly hyperglycaemic obese diabetic patients*, DOI: 10.1017/BJN20061744, 945

Sabatier M, see Richelle M, 227
Sachs A, see Lerario MC, 86
Sallé A, see Ryan M, 945
Sanbongi C, see Morifuji M, 469
Sandberg A-S, see Bergqvist SW, 705
Sanderson P, see Elsom M, 980
Sanderson P, see Singh M, 770
Sanderson P, see Singh M, 985
Sandin S, see Lagiou P, 384
Sangild PT, see Calder PC, 774
Sapinho D, see Mennen LI, 191

Saraiva LG, see Lerario MC, 86
Sartorio A, see Lazzer S, 973
Sausenthaler S, Kohlhammer Y, Schäffer L, Heinrich J, Koletzko S & Koletzko B *Genetically determined lower bitter-taste sensitivity in Africans? (Letter to the Editor)*, DOI: 10.1079/BJN20061794, 607
Scalbert A, see Lafay S, 39
Scalbert A, see Mennen LI, 191
Schäffer L, see Sausenthaler S, 607
Schlatterer J, Breithaupt DE, Wolters M & Hahn A *Plasma responses in human subjects after ingestions of multiple doses of natural α-cryptoxanthin: a pilot study*, DOI: 10.1079/BJN20061848, 371
Schlienger J-L, see Platat C, 501
Schneider SM, Joly F, Gehrardt M-F, Badran AM, Myara A, Thuillier F, Coudray-Lucas C, Cynober L, Trivin F & Messing B *Taurine status and response to intravenous taurine supplementation in adults with short-bowel syndrome undergoing long-term parenteral nutrition: a pilot study*, DOI: 10.1079/BJN20061826, 365
Scholey AB, see Reay JL, 639
Schrezenmeir J, see Calder PC, 774
Scollan ND, see Yáñez-Ruiz DR, 861
Scott JM, see Klingler M, 182
Sebag A, see Cosquéric G, 895
Secker DL, see Maylor EA, 752
Sekikawa M, see Han K-H, 1125
Sempértegui F, Estrella B, Elmieh N, Jordan M, Ahmed T, Rodríguez A, Tucker KL, Hamer DH, Reeves PG & Meydani SN *Nutritional, immunological and health status of the elderly population living in poor neighbourhoods of Quito, Ecuador*, DOI: 10.1017/BJN20061802, 845
Sengottuvelan M & Nalini N *Dietary supplementation of resveratrol suppresses colonic tumour incidence in 1,2-dimethylhydrazine-treated rats by modulating biotransforming enzymes and aberrant crypt foci development*, DOI: 10.1079/BJN20061789, 145
Serna Saldívar SO, see Amaya-Guerra C, 161
Sharma R, see Alexander TW, 997
Shen X-Y, see Lin X-M, 1134
Shi Z, Hu X, Yuan B, Pan X, Dai Y & Holmboe-Ottesen G *Association between dietary patterns and anaemia in adults from Jiangsu Province in Eastern China*, DOI: 10.1017/BJN20061785, 906
Shigematsu N, see Tamura A, 442
Shimada K-A, see Han K-H, 1125
Shu XO, see Chen Z, 393
Shukla A, Bettzieche A, Hirche F, Brandsch C, Stangl GI & Eder K *Dietary fish protein alters blood lipid concentrations and hepatic genes involved in cholesterol homeostasis in the rat model*, DOI: 10.1079/BJN20061895, 674
Siest G, see Herbeth B, 1013
Simon C, see Platat C, 501
Simon PW, see Dosti MP, 258
Simpson EEA, see Maylor EA, 752
Sinclair BR, see Bermingham EN, 28
Sinclair KA, see Bates CJ, 523
Singh M, Sanderson P, Hurrell RF, Fairweather-Tait SJ, Geissler C, Prentice A & Beard JL *Risk of iron overload in carriers of genetic mutations associated with hereditary haemochromatosis: UK Food Standards Agency workshop (Workshop Report)*, DOI: 10.1079/BJN20061892, 770
Singh M, Sanderson P, Hurrell RF, Fairweather-Tait SJ, Geissler C, Prentice A & Beard JL *Iron bioavailability: UK Food Standards Agency workshop report (Workshop Report)*, DOI: 10.1017/BJN20061894, 985
Sjøltov L, see Bering S, 80
Skeaff CM & Gowans S *Home use of margarine is an important determinant of plasma trans fatty acid status: a biomarker study*, DOI: 10.1079/BJN20061737, 377
Soares MJ, see Cummings NK, 138
Soriguer F, see Olveira G, 343
Soulère L, see Arab K, 811
Soulat T, Philippe C, Bal dit Sollier C, Brézillon C, Berge N, Teissedre P-L, Callebert J, Rabot S & Drouet L *Wine constituents inhibit thrombosis but not atherogenesis in C57BL/6 apolipoprotein E-deficient mice*, DOI: 10.1079/BJN20061818, 290
Souza Brito ARM, see Paula ACB, 310
Spencer JPE, see El-Mohsen MA, 62
Spranger J, see Weickert MO, 795
Stangl GI, see Shukla A, 674
Steghens J-P, see Arab K, 811
Steiling H, see Richelle M, 227
Stein K, see Vásquez-Garibay E, 683
Stewart-Knox B, see Maylor EA, 752
Stoppiglia LF, see Arantes VC, 1006
Strandvik B *Mediterranean diet and cystic fibrosis (Invited Commentary)*, DOI: 10.1079/BJN20061815, 199
Stratton RJ & Elia M *Deprivation linked to malnutrition risk and mortality in hospital*, DOI: 10.1017/BJN20061852, 870
Strobel E, see Koch M, 820
Stubbs J, see Mazlan N, 596
Stulnig TM, see Calder PC, 774
Suchdev S, see Bering S, 80
Sudhakaran PR, see Boban PT, 1021
Sugiura K, see Morifuji M, 469
Sun X, see Xiao S-M, 949
Sutherland IA, see Bermingham EN, 28

Takimoto H, see Hayashi F, 1154
Tamura A, Nishimukai M, Shigematsu N & Hara H *Supplementation of difructose anhydride III enhanced elevation of plasma equol concentrations and lowered plasma total cholesterol in isoflavone-fed rats*, DOI: 10.1079/BJN20061780, 442
Tan L-J, see Xiao S-M, 949
Tanaka H, see Han K-H, 1125
Tanumihardjo SA, see Dosti MP, 258
Taylor MA, see Whelan K, 350
Tebbe CC, see Koch M, 820
Teissedre P-L, see Soulat T, 290
Tetens I, see Bering S, 80
Thane CW, Bolton-Smith C & Coward WA *Comparative dietary intake and sources of phylloquinone (vitamin K_1) among British adults in 1986–7 and 2000–1*, DOI: 10.1017/BJN20061971, 1105
Thane CW, Wang LY & Coward WA *Plasma phylloquinone (vitamin K_1) concentration and its relationship to intake in British adults aged 19–64 years*, DOI: 10.1017/BJN20061972, 1116
Thilsted SH, see Kongsbak K, 725
Thomas C, see Cosquéric G, 895
Thomson M, see Al-Amin ZM, 660
Thuillier F, see Schneider SM, 365
Thymann T, see Calder PC, 774
Toma W, see Paula ACB, 310
Tonello A & Poli G *Serum phytosterols not only from dietary intake (Letter to the Editor)*, DOI: 10.1079/BJN20061841, 791
Tonstad S, Klemsdal TO, Landaas S & Høieggen A *No effect of increased water intake on blood viscosity and cardiovascular risk factors*, DOI: 10.1017/BJN20061969, 993
Topping DL, see Bajka BH, 276
Tormo MA, Gil-Exojo I, Romero de Tejada A & Campillo JE *White bean amylase inhibitor administered orally reduces glycaemia in type 2 diabetic rats*, DOI: 10.1079/BJN20061836, 539
Torstensen BE, see José Caballero M, 830
Treloar BP, see Bermingham EN, 28
Trichopoulos D, see Lagiou P, 384
Trivin F, see Schneider SM, 365

Truesdale KP, see Bryant M, 888
Tse MCL, Cheng CHK & Chan KM *Effects of chronic cysteamine treatment on growth enhancement and insulin-like growth factor I and II mRNA levels in common carp tissues*, DOI: 10.1079/BJN20061870, 650
Tsugane S, see Nakamura Y, 921
Tucker KL, see Sempértegui F, 845

Ueshima H, see Nakamura Y, 921
Uusitalo U, see Arkkola T, 913

Vásquez-Garibay E, Stein K, Kratzsch J, Romero-Velarde E & Jahreis G *Effect of nucleotide intake and nutritional recovery on insulin-like growth factor I and other hormonal biomarkers in severely malnourished children*, DOI: 10.1079/BJN20061879, 683
van Lenthe FJ, see Kamphuis CBM, 620
Veguard GE, see Almass H, 562
Veijola R, see Arkkola T, 913
Verbeke K, see Geboes KP, 1078
Verlinden A, Hesta M, Hermans JM & Janssens GPJ *The effects of inulin supplementation of diets with or without hydrolysed protein sources on digestibility, faecal characteristics, haematology and immunoglobulins in dogs*, DOI: 10.1017/BJN20061912, 936
Vicente-Rodriguez G, see Ara I, 1053
Viljakainen HT, Palssa A, Kärkkäinen M, Jakobsen J, Cashman KD, Mølgaard C & Lamberg-Allardt C *A seasonal variation of calcitropic hormones, bone turnover and bone mineral density in early and mid-puberty girls – a cross-sectional study*, DOI: 10.1079/BJN20061719, 124
Virtanen SM, see Arkkola T, 913
Visvikis-Siest S, see Herbeth B, 1013
Voss LD, see Hosking J, 1163

Wadsworth MEJ, see Mishra GD, 735
Wagner A, see Platat C, 501
Wähälä K, see Raschke M, 426
Wahed MA, see Kongsbak K, 725
Wahlberg J *Dietary risk factors for the emergence of type 1 diabetes-related autoantibodies in $2\frac{1}{2}$-year-old Swedish children – Reply by Wahlberg (Nutrition Discussion Forum)*, DOI: 10.1017/BJN20061839, 992
Wallace RJ, see Devillard E, 697
Wang J, see Benzie IFF, 154
Wang LY, see Thane CW, 1116
Wang M-F, see Liao J-W, 400
Wang Y-B, see Xiao S-M, 949
Wareham NJ, see Boekholdt SM, 516
Wasowicz W, see Reszka E, 609
Waterlow J *Adequacy of exclusive breast-feeding in 6-month-old infants (Leter to the Editor)*, DOI: 10.1017/BJN20061926, 1171
Weaver LT, see Morrison DJ, 570
Weickert MO, Spranger J, Holst JJ, Otto B, Koebnick C, Möhlig M & Pfeiffer AFH *Wheat-fibre-induced changes of postprandial peptide YY and ghrelin responses are not associated with acute alterations of satiety (Short Communication)*, DOI: 10.1017/BJN20061902, 795
Weiderpass E, see Lagiou P, 384
Weill-Engerer S, see Cosquéric G, 895
Welch A, see Boekholdt SM, 516
Welch RW, see Anne Moorhead S, 587
Wendel-Vos W, see Kamphuis CBM, 620
Wergedahl H, see Gudbrandsen OA, 249
Wheatley AO, see Bahado-Singh PS, 476
Whelan K, Efthymiou L, Judd PA, Preedy VR & Taylor MA *Appetite during consumption of enteral formula as a sole source of nutrition: the effect of supplementing pea-fibre and fructo-oligosaccharides*, DOI: 10.1079/BJN20061791, 350
Whybrow S, see Mazlan N, 596
Wilkin TJ, see Hosking J, 1163
Williamson G, see Richelle M, 227
Wold AE, see Calder PC, 774
Wolever TMS, Ip B & Moghaddam E *Measuring glycaemic responses: duplicate fasting samples or duplicate measures of one fasting sample? (Short Communication)*, DOI: 10.1017/BJN20061914, 799
Wolffram S, see Hubbard GP, 482
Wolffram S, see Lesser S, 1047
Wolk A, see Lagiou P, 384
Wolters M, see Schlatterer J, 371
Woo JLF, see Chen Y-m, 745
Worwood M, see Singh M, 770

Xiao S-M, Lei S-F, Chen X-D, Liu M-Y, Jian W-X, Xu H, Tan L-J, Deng F-Y, Yang Y-J, Wang Y-B, Sun X, Jiang C, Guo Y-F, Guo J-J, Li Y-N, Jiang H, Zhu X-Z & Deng H-W *Correlation and prediction of trunk fat mass with four anthropometric indices in Chinese males*, DOI: 10.1017/BJN20061820, 949
Xu H, see Xiao S-M, 949
Xu Y, see Zhang Z, 418
Xylouri E, see Chronopoulou R, 553

Yáñez-Ruiz DR, Scollan ND, Merry RJ & Newbold CJ *Contribution of rumen protozoa to duodenal flow of nitrogen, conjugated linoleic acid and vaccenic acid in steers fed silages differing in their water-soluble carbohydrate content*, DOI: 10.1017/BJN20061927, 861
Yang G, see Chen Z, 393
Yang H-Y, see Chen S-T, 435
Yang Y-J, see Xiao S-M, 949
Yeh C-L, see Hsu C-S, 854
Yeh S-L, see Hsu C-S, 854
Yoshiike N, see Hayashi F, 1154
Yoshita K, see Hayashi F, 1154
Yuan B, see Shi Z, 906
Yusufi ANK, see Farooq N, 1087

Zhang Z, Xu Y, Li L, Han J, Zheng L, Liu P & Li Y *Prevention of retinoic acid-induced early craniofacial abnormalities by folinic acid and expression of endothelin-1/dHAND in the branchial arches in mouse*, DOI: 10.1079/BJN20061854, 418
Zheng L, see Zhang Z, 418
Zheng W, see Chen Z, 393
Zhu X-Z, see Xiao S-M, 949